

2021

# PRODUCT CATALOGUE





DEVSEL is one of the leading global narrow elastics companies, located in Istanbul, on an area of approximately 10.000m<sup>2</sup>, equipped with all technical and logistical infrastructure, producing around 16 million meters per month with 120 employees and an export share of %70.

Our company is providing service with our experienced technical team since 2005, throughout the world for more than 30 countries with the products range of elastic and rigid bands for women lingerie, underwear, corset, panties, men underwear, sportswear, swimwear, medical products, mask elastics and for technic textile. All our suppliers and business partners are selected on their technical experience level and quality certifications.



### *We combine nature and trends for you*

In our new collection we are inspired from the new lifestyle parameters of lockdown dressing and home leisure, means mainly the concept of “feeling good” with multi wear possibilities, combining sporty with comfortable, soft and natural products.

With the capacity of our jacquard machines and through new printing with silicone techniques, we are able to adopt the trends like street art blends, graphical expressions, monocolour, art infused and naturalist designs, trendy patterned knits for individual creations.

As refinement in the collection we are inspired by good results in colors with natural dyestuffs and recycled raw materials which combine “happy and good” emotions with optimistic and romantic touches to the souls.



	<b>WOMEN'S LINGERIE</b>	<b>9</b>
	<b>MENSWEAR</b>	<b>21</b>
	<b>SPORTSWEAR</b>	<b>29</b>
	<b>SWIMWEAR</b>	<b>39</b>
	<b>RECYCLED</b>	<b>49</b>
	<b>NEVER OUT OF STOCK</b>	<b>61</b>
	<b>MEDICAL</b>	<b>73</b>




*We desire for exclusivity  
and romantic touches.*

In our new collection  
we present our fantasy  
products with a soft,  
clean and functional  
existence for comfort,  
stretch and breathability.



WOMEN'S  
LINGERIE



TW0014425

A

15 K 1516

Width: 13mm

Weight: 8,5GR/MT

Composition: %92,1 PA  
% 7,9 EA

B

10 W 11136

Width: 15mm

Weight: 4,3GR/MT

Composition: %83 PA  
%17 EA

C

15 W 1163

Width: 10mm

Weight: 7,6GR/MT

Composition: %94,7 PA  
%5,3 EA

D

15 W 1163

Width: 15mm

Weight: 8GR/MT

Composition: %83 PA  
%17 EA

33 W 1249

Width: 33mm

Weight: 14GR/MT

Composition: %91 PA  
%9 EA

30 W 785

Width: 30mm

Weight: 12GR/MT

Composition: %76 PA  
%24 EA

15 W 797

Width: 15mm

Weight: 2,21GR/MT

Composition: %66,92 PA  
%33,08 EA

TK0018432

Width: 20mm

Weight: 3,4GR/MT

Composition: %80,5 PA  
%19,5 EA

**15 W 841****17 W 11826****18 W 854****12 W 934****15 W 924****TW0013081****20 J 5112****TW007860**

Width: 15mm

Width: 17mm

Width: 18mm

Width: 12mm

Width: 15mm

Width: 20mm

Width: 20mm

Width: 15mm

Weight: 6GR/MT

Weight: 7GR/MT

Weight: 12,5GR/MT

Weight: 7GR/MT

Weight: 8GR/MT

Weight: 1,6GR/MT

Weight: 4GR/MT

Weight: 3,7GR/MT

Composition: %92 PA  
%8 EAComposition: %87,5 PA  
%12,5 EAComposition: %90 PA  
%10 EAComposition: %88 PA  
%12 EAComposition: %80 PA  
%20 EAComposition: %96,1 PA  
%3,9 EAComposition: %92 PA  
%8 EAComposition: %87 PA  
%13 EA

**07 W 1539**

Width: 7mm

Weight: 2,5GR/MT

Composition: %86 PA  
%14 EA**09 K 11831**

Width: 9mm

Weight: 4GR/MT

Composition: %60 PA  
%40 EA**09 W 934**

Width: 9mm

Weight: 6GR/MT

Composition: %88 PA  
%12 EA**TW0015832**

Width: 20mm

Weight: 12GR/MT

Composition: %89,1 PA  
%10,9 EA**12 K 1283**

Width: 12mm

Weight: 4GR/MT

Composition: %82 PA  
%18 EA**12 K 2568-Ö**

Width: 12mm

Weight: 4GR/MT

Composition: %81 PA  
%19 EA**18 W 1140**

Width: 18mm

Weight: 9,5GR/MT

Composition: %94 PES  
%6 EA**12 W 13705**

Width: 12mm

Weight: 6,3GR/MT

Composition: %83,4 PA  
%16,6 EA**15 J 5072**

Width: 15mm

Weight: 9GR/MT

Composition: %91 PA  
%9 EA**10 W 13641**

Width: 10mm

Weight: 4GR/MT

Composition: %72 PA  
%13 PES  
%15 EA**11 W 1864**

Width: 11mm

Weight: 5GR/MT

Composition: %91 PA  
%9 EA**12 K 205**

Width: 12mm

Weight: 2,4GR/MT

Composition: %83 PA  
%17 EA**14 K 020**

Width: 14mm

Weight: 3GR/MT

Composition: %84 PA  
%16 EA**TK0005535**

Width: 25mm

Weight: 4,9GR/MT

Composition: %74 PA  
%26 EA**14 W 1845**

Width: 14mm

Weight: 1GR/MT

Composition: %89 PA  
%11 EA**14 W 1886**

Width: 14mm

Weight: 7,7GR/MT

Composition: %88 PA  
%12 EA



**18 W 828**


Width: 18mm  
 Weight: 13,58GR/MT  
 Composition: %88,1 PA  
 %11,9 EA

**TJ0021667**

Width: 15mm  
 Weight: 8,5GR/MT  
 Composition: %90 PA  
 %10 EA

**TW007455**

Width: 11mm  
 Weight: 3,9GR/MT  
 Composition: %91,8 PA  
 %8,2 EA

**25 L 1953**

Width: 25mm  
 Weight: 4,9GR/MT  
 Composition: %76 PA  
 %24 EA

**TW0021805**

Width: 12mm  
 Weight: 4GR/MT  
 Composition: %82 PA  
 %18 EA

**TW0014324**

Width: 12mm  
 Weight: 4GR/MT  
 Composition: %81 PA  
 %19 EA

**14 K 11151**


Width: 14mm  
 Weight: 2,2GR/MT  
 Composition: %68,8 PA  
 %31,2 EA

**TK0013154**

Width: 16mm  
 Weight: 5GR/MT  
 Composition: %74,2 PA  
 %25,8 EA

**TW0015549**

Width: 28mm  
 Weight: 6,6GR/MT  
 Composition: % 88,9 PA  
 %11,1 EA

**49 K 13350**

Width: 49mm  
 Weight: 13GR/MT  
 Composition: %65 PA  
 %35 EA

**50 W 13499**

Width: 50mm  
 Weight: 35,74GR/MT  
 Composition: %90,44 PA  
 %9,56 EA

**TK0013102**

Width: 62mm  
 Weight: 13,6GR/MT  
 Composition: %45,54 PA  
 %43,12 MONO FLAMENT  
 %11,34 EA

**TK0013953**

Width: 7mm  
 Weight: 7,5GR/MT  
 Composition: %78,1 PA  
 %21,9 EA

**TK0016696**

Width: 12mm  
 Weight: 7,3GR/MT  
 Composition: %89,1 PA  
 %10,9 EA

**TW0006681**

Width: 12mm  
 Weight: 5,9GR/MT  
 Composition: %91,3 PA  
 %8,7 EA

**TW0007075**

Width: 12mm  
 Weight: 6,1GR/MT  
 Composition: %92,1 PA  
 %7,9 EA

**18 W 754**

Width: 18mm  
Weight: 5GR/MT  
Composition: %89 PA  
%11 EA

**18 W 1864**

Width: 18mm  
Weight: 9,9GR/MT  
Composition: %87,5 PA  
%12,5 EA

**30 K 11844**

Width: 30mm  
Weight: 30GR/MT  
Composition: %84 PA  
%16 EA

**1948**

Width: 18mm  
Weight: 3,4GR/MT  
Composition: %88 PA  
%12 EA

**TW0013709**

Width: 15mm  
Weight: 4,5GR/MT  
Composition: %89,7 PA  
%10,3 EA

**15 K 11818**

Width: 15mm  
Weight: 7,4GR/MT  
Composition: %88 PA  
%12 EA

**TJ0013403**

Width: 18mm  
Weight: 8GR/MT  
Composition: %91 PA  
%9 EA

**TK0017303**

Width: 20mm  
Weight: 7,5GR/MT  
Composition: %76,3 PA  
%23,7 EA

**TK0017491**

Width: 10mm  
Weight: 3,5GR/MT  
Composition: %81 PA  
%19 EA

**TW0017083**

Width: 2mm  
Weight: 14,3GR/MT  
Composition: %91 PA  
%9 EA

**TW0017291**

Width: 18mm  
Weight: 10,3GR/MT  
Composition: %90,5 PA  
% 9,5 EA

**TW0010397**

Width: 18mm  
Weight: 8,5GR/MT  
Composition: % 92,5 PA  
% 7,5 EA



***We shape for modernity  
and novelty***

We design our new men's underwear products for an elegant look with ease and comfort by using modern technologies in weaving and advanced jacquard products that adopt new trends of contemporary fit.





TJ0024459

A

35 W 13691-1

Width: 41mm

Weight: 31,2GR/MT

Composition: %68,5 PA  
%23 PES  
%8,5 EA

B

TJ0016873

Width: 35mm

Weight: 25,34GR/MT

Composition: %69,33 PA  
%21,80 PES  
%8,87 EA

C

TJ0019133

Width: 40mm

Weight: 23,3GR/MT

Composition: %62,5 PA  
%30 PES  
%7,5 EA

D

Weight: 22GR/MT

Composition: %32,5 PA  
%60 PES  
%7,5 EA

TJ0021226

Width: 35mm

Weight: 30GR/MT

Composition: %65,5 PA  
%25 PES  
%10 EA

TJ0019305

Width: 35mm

Weight: 20,7GR/MT

Composition: %92,5 PA  
%7,5 EA

TJ0019977

Width: 50mm

Weight: 31,3GR/MT

Composition: %70 PA  
%25 PES  
%5 EA

TJ0024037

Width: 57mm

Weight: 39GR/MT

Composition: %68 PA  
%24 PES  
%8 EA

**TW0017183**

Width: 30mm

Weight: 13,9GR/MT

Composition: %67,5 PA  
%25 PES  
%7,5 EA**45 J 4627**

Width: 45mm

Weight: 23,5GR/MT

Composition: %67,5 PA  
%25 PES  
%7,5 EA**30 J 3422**

Width: 30mm

Weight: 15,8GR/MT

Composition: %72,5 PA  
%20 PES  
%7,5 EA**30 J 5243**

Width: 30mm

Weight: 20,9GR/MT

Composition: %67,4 PA  
%24 PES  
%8,6 EA**35 J 5114**

Width: 35mm

Weight: 22,3GR/MT

Composition: %71,3 PA  
%19,3 PES  
%9,4 EA**35 J 5186-95**

Width: 35mm

Weight: 21GR/MT

Composition: %67 PA  
%26 PES  
%7 EA**35 W 13222-B**

Width: 35mm

Weight: 20,7GR/MT

Composition: %7,5 PA  
%85 PES  
%7,5 EA**35 JS 5229**

Width: 35mm

Weight: 21,6GR/MT

Composition: %50 PA  
%10 PES  
%40 EA**25 J 4554-001**

Width: 25mm

Weight: 17,59GR/MT

Composition: %15 PA  
%50 COTTON  
%25 PES, %10 EA**35 J 4520-1**

Width: 35mm

Weight: 21,3GR/MT

Composition: %30 PA  
%43 COTTON  
%19 PES, %8 EA**35 J 4753**

Width: 35mm

Weight: 24,25GR/MT

Composition: %76,8 PA  
%16,55 PES  
%6,65 EA**35 J 5014-2**

Width: 35mm

Weight: 24,2GR/MT

Composition: %66 PA  
%26 PES  
%8 EA**TJ0017421**

Width: 45mm

Weight: 28,75GR/MT

Composition: %68,73 PA  
%22,69 PES  
%8,58 EA**35 W 13627-DP110**

Width: 35mm

Weight: 20,2GR/MT

Composition: %75 PA  
%10 PES  
%15 EA**TW0016618**

Width: 35mm

Weight: 20,6GR/MT

Composition: %90 PA  
%10 EA**40 J 4750**

Width: 40mm

Weight: 28,5GR/MT

Composition: %37,5 PA  
%55 PES  
%7,5 EA

**TJ0015894**

Width: 35mm

Weight: 24,2GR/MT

Composition: %67 PA  
%25 PES  
%8 EA**TJ0014937**

Width: 40mm

Weight: 27,7GR/MT

Composition: %68 PA  
%24 PES  
%8 EA**TJ0012977**

Width: 50mm

Weight: 22GR/MT

Composition: %68 PA  
%24 PES  
%8 EA**TJ0018791**

Width: 22mm

Weight: 15,6GR/MT

Composition: %68 PA  
%24 PES  
%8 EA**TJ0018612**

Width: 35mm

Weight: 24GR/MT

Composition: %65,5 PA  
%27 PES  
%7,5 EA**TJ0018648**

Width: 40mm

Weight: 26,9GR/MT

Composition: %67,5 PA  
%25 PES  
%7,5 EA**TJ0018901**

Width: 22mm

Weight: 15,6GR/MT

Composition: %63 PA  
%29 PES  
%8 EA**TJ0020439**

Width: 45mm

Weight: 21,8GR/MT

Composition: %65 PA  
%25 PES  
%10 EA**TJ0014412**

Width: 35mm

Weight: 24,9GR/MT

Composition: %73,1 PA  
%18,5 PES  
%8,4 EA**TJ0014476**

Width: 35mm

Weight: 16GR/MT

Composition: %66,5 PA  
%26 PES  
%7,5 EA**TJ0010628**

Width: 21,5mm

Weight: 35GR/MT

Composition: %92,5 PA  
%7,5 EA**TJ0017339**

Width: 30mm

Weight: 17,6GR/MT

Composition: %28 PA  
%63 PES  
%9 EA**TJ004411**

Width: 50mm

Weight: 22,7GR/MT

Composition: %37 PA  
%56 PES  
%7 EA**35 J 3245-1**

Width: 35mm

Weight: 20,2GR/MT

Composition: %75 PA  
%10 PES  
%15 EA**TJ0014349**

Width: 40mm

Weight: 29GR/MT

Composition: %63,5 PA  
%28 PES  
%8,5 EA**TJ0021262**

Width: 40mm

Weight: 38GR/MT

Composition: %67,5 PA  
%25 PES  
%7,5 EA

*We redefine colors and prints for casual functionality.*

We focus on the harmony and coherence in our sportswear products by combining comfort with trendy natural colors and printed leisure for super functional home leisure.



SPORTSWEAR



TK0014215



TW0018510



TJ0014248




11 W 487-S




TW0011397



TW0019341



TW0018624



TJ0020881

Width: 40mm

Width: 10mm

Width: 38mm

Width: 11mm

Width: 15mm

Width: 40mm

Width: 10mm

Width: 9mm

Weight: 13,5GR/MT

Weight: 3,9GR/MT

Weight: 21GR/MT

Weight: 6,27GR/MT

Weight: 11,7GR/MT

Weight: 28GR/MT

Weight: 4,1GR/MT

Weight: 5,6GR/MT

Composition: %77,9 PA  
%22,1 EAComposition: % 95 PES  
% 5 EAComposition: %69,1 PA  
%22,9 PES  
%8 EAComposition: %81 PA  
%19 EAComposition: % 92 PA  
% 8 EAComposition: %60 PA  
%32 PES  
%8 EA

Composition: %100 PES

Composition: %20 PA  
%80 PES





TJ0019560

Width: 50mm

Weight: 34GR/MT

Composition: %65 PA  
%8,7 EA

TJ0019750

Width: 50mm

Weight: 31,3GR/MT

Composition: %68 PA  
%25 PE  
%7 EA

TJ0022328

Width: 35mm

Weight: 21GR/MT

Composition: %73,4 PA  
%19 PES  
%7,6 EA

40 W 13294-EB-4

Width: 40mm

Weight: 24,87GR/MT

Composition: %89,2 PA  
%10,8 EA

TJ0018710

Width: 30mm

Weight: 19,7GR/MT

Composition: %67,6 PA  
%23,1 PES  
%9,3 EA

TJ0017825

Width: 35mm

Weight: 22GR/MT

Composition: %70 PA  
%22 PES  
%8 EA

40 J 4346-103

Width: 40mm

Weight: 23GR/MT

Composition: %71 PA  
%29 PES  
%9 EA

TJ0023797

Width: 52mm

Weight: 30,3GR/MT

Composition: %67,1 PA  
%23,7 PES  
%9,2 EA

**15 W 797**

Width: 15mm

Weight: 2,21GR/MT

Composition: %66,92 PA  
%33,08 EA**20 W 13222-B**


Width: 20mm

Weight: 12,8GR/MT

Composition: %7,5 PA  
%85 PES  
%7,5 EA**22 W 8000**

Width: 22mm

Weight: 5,4GR/MT

Composition: %81,2 PA  
%18,8 EA**23 W 394-B**

Width: 23mm

Weight: 7,05GR/MT

Composition: %7,68 PA  
%78,09 PES  
%14,23 EA**25 J 4525**

Width: 25mm

Weight: 25GR/MT

Composition: %10 PA  
%80 PES  
%10 EA**TJ0017108**

Width: 50mm

Weight: 32,7GR/MT

Composition: %63 PA  
%26 PES  
%11 EA**57 JS 5304-15**

Width: 57mm

Weight: 39,5GR/MT

Composition: %71,5 PA  
%11 PES  
%7,5 EA**TJ0017338**

Width: 30mm

Weight: 17,6GR/MT

Composition: %28 PA  
%63 PES  
%9 EA**08 W 13791**

Width: 8mm

Weight: 3GR/MT

Composition: %10 PA  
%80 PES  
%10 EA**09 W 1478-B**

Width: 9mm

Weight: 2,79GR/MT

Composition: %85 PA  
%15 EA**TK0013058**

Width: 16mm

Weight: 8,9GR/MT

Composition: %65 PA  
%5 PES  
%30 EA**TW0018406**

Width: 10mm

Weight: 2,3GR/MT

Composition: %100 PES

**TJ0022328-1**

Width: 35mm

Weight: 21GR/MT

Composition: %73,4 PA  
%19 PES  
%7,6 EA**TW0019438**

Width: 45mm

Weight: 31GR/MT

Composition: %8,5 PA  
%83 PES  
%8,5 EA**TJ0013886**

Width: 10mm

Weight: 6,6GR/MT

Composition: %40 PA  
%23 PES, %9 EA  
%28 Lurex**40J 4346-119**

Width: 40mm

Weight: 23GR/MT

Composition: %62 PA  
%29 PES  
%9 EA

**45 W 13412-C**

Width: 45mm

Weight: 25GR/MT

Composition: %70 PA  
%20 PES  
%10 EA**50 K 11159-2**

Width: 50mm

Weight: 20,6GR/MT

Composition: %65 PES  
%35 RUBBER**50 W 13819**

Width: 50mm

Weight: 22,5GR/MT

Composition: %86 PA  
%14 EA**53 W 13554-S2**

Width: 53mm

Weight: 35,74GR/MT

Composition: %90,44 PA  
%9,56 EA**TJ0018642**

Width: 54mm

Weight: 33,6GR/MT

Composition: %23,1 PA  
%68,7 PES  
%8,2 EA**TJ0019595**

Width: 55mm

Weight: 30,5GR/MT

Composition: %64,7 PA  
%26,2 PES  
%9,1 EA**TK0014515**

Width: 60mm

Weight: 25GR/MT

Composition: %75 PES  
%25 RUBBER**TK0015256**

Width: 60mm

Weight: 18,6GR/MT

Composition: %65 PES  
%35 RUBBER**55 J 5011**

Width: 55mm

Weight: 32GR/MT

Composition: %72 PA  
%20 PES  
%8 EA**TJ0014023**

Width: 44mm

Weight: 21GR/MT

Composition: %7 PA  
%85 PES  
%8 EA**TJ0017630**

Width: 55mm

Weight: 46,5GR/MT

Composition: %60 PES  
%20 LUREX  
%20 RUBBER**TJ0017709**

Width: 55mm

Weight: 32GR/MT

Composition: %63 PA  
%26 PES  
%11 EA**TW0018103**

Width: 30mm

Weight: 16,5GR/MT

Composition: %61 PA  
%10 LUREX  
%20 PES  
%9 EA**TW0017496**

Width: 30mm

Weight: 16,26GR/MT

Composition: %60,82 PA  
%23,39 PES  
%4,68 LUREX, %11,11 EA**TK0019655**

Width: 85mm

Weight: 26,2GR/MT

Composition: %10 PA  
%76,9 PES  
%13,1 EA**TJ0018114**

Width: 40mm

Weight: 29,3GR/MT

Composition: %71,5 PA  
%18 PES  
%10,5 EA



*We adopt sensory expressions and trendy designs*

Soft, optimistic colors and trendy designs are combined with our standard products in our new collection of beachwear.





TK0015256

A

25 J 4525

Width: 60mm

Weight: 18,6GR/MT

Composition: %65 PES  
%35 RUBBER

B

50 K 11159-2

Width: 25mm

Weight: 25GR/MT

Composition: %10 PA  
% 80 PES  
%10 EA

C

09 K 11831

Width: 50mm

Weight: 20,6GR/MT

Composition: %65 PES  
%35 RUBBER

D

9mm

Weight: 4GR/MT

Composition: %60 PA  
%40 EA

TW0017275

Width: 10mm

Weight: 5,7GR/MT

Composition: % 8 PA  
%84 PES  
% 8 EA

10 W 1928

Width: 10mm

Weight: 8GR/MT

Composition: %79 PA  
%21 EA

TK0014374

Width: 12mm

Weight: 10GR/MT

Composition: %65 PA  
%35 EA

11 W 487-S

Width: 11mm

Weight: 6,7GR/MT

Composition: %81 PA  
%19 EA

**TK0013102**

Width: 62mm

Weight: 13,6GR/MT

Composition: %45,54 PA  
%43,12 MONO FLAMENT  
%11,34 EA**30 W 13655**

Width: 30mm

Weight: 18GR/MT

Composition: %70 PA  
%22 PES  
%8 EA**33 W 1249**

Width: 33mm

Weight: 14GR/MT

Composition: %91 PA  
%9 EA**49 K 13350**

Width: 49mm

Weight: 13GR/MT

Composition: %65 PA  
%35 EA**TJ0017338**

Width: 30mm

Weight: 17,6GR/MT

Composition: %28 PA  
%63 PES  
%9 EA**TK0015114**


Width: 50mm

Weight: 10GR/MT

Composition: %68 PA  
%32 EA**TK0015235**

Width: 70mm

Weight: 13,8GR/MT

Composition: %74,8 PA  
%25,2 EA**TK0016835**

Width: 30mm

Weight: 15,98GR/MT

Composition: %69,1 PES  
%30,9 RUBBER

**04 K 13430****04 K 13431****08 K 13530-1****08 K 13538****15 K 13424****15 K 13442****07 K 13429****06 K 13430**

Width: 4mm

Width: 4mm

Width: 8mm

Width: 8mm

Width: 15mm

Width: 15mm

Width: 7mm

Width: 6mm

Weight: 2GR/MT

Weight: 2GR/MT

Weight: 3,2GR/MT

Weight: 3GR/MT

Weight: 3,64GR/MT

Weight: 5,44GR/MT

Weight: 2,5GR/MT

Weight: 2,6GR/MT

Composition: %75 PA  
%25 EAComposition: %75 PA  
%25 EAComposition: %82 PES  
%18 EAComposition: %81 PES  
%19 EAComposition: %86,7 PA  
%13,3 EAComposition: %46,50 PA  
%53,50 EAComposition: %64 PA  
%36 EAComposition: %85,75 PA  
%14,25 EA

**10 W 11136**

Width: 10mm

Weight: 7,6GR/MT

Composition: %94,7 PA  
%5,3 EA**A****TW0017496**

Width: 30mm

Weight: 16,26GR/MT

Composition: %60,82 PA  
%23,39 PES  
%4,68 LUREX, %11,11 EA**B****10 W 11142**

Width: 10mm

Weight: 5GR/MT

Composition: %94 PA  
%6 EA**C****TW0021632**

Width: 30mm

Weight: 20GR/MT

Composition: %65 PA  
%22 PES  
%5 LUREX, %8 EA**D****TW0021633**

Width: 30mm

Weight: 13,7GR/MT

Composition: %61 PA  
%22 PES  
%8 LUREX, %8 EA**E****TJ0017341**

Width: 30mm

Weight: 17,6GR/MT


Composition: %28 PA  
%63 PES  
%9 EA**F**





*We are inspired by and contribute to the Nature.*

With recycled yarns and natural dyestuffs, we achieve perfect results in color transitions and contribute for sustainability.



RECYCLED

**TJ0019662****TJ0014373****TW0018266****TJ0019664**

Width: 35mm

Width: 32mm

Width: 10mm

Width: 30mm

Weight: 15GR/MT

Weight: 22GR/MT

Weight: 6,6GR/MT

Weight: 23,5GR/MT

Composition: %60 PA Recycle  
%25 PES Recycle  
%15 EAComposition: %80 PES Recycle  
%20 EAComposition: %60 PA Recycle  
%25 PA  
%15 EAComposition: %45 PA Recycle  
%35 PES Recycle  
%15 EA**TK0014368**

Width: 8mm

Weight: 3,2GR/MT

Composition: %80 PES Recycle  
%20 EA**TK0014372**

Width: 14mm

Weight: 5GR/MT

Composition: %76,1 PA  
%23,9 EA**TK0014561**

Width: 8mm

Weight: 3,4GR/MT

Composition: %80 PES Recycle  
%20 EA**TW0018240**

Width: 10mm

Weight: 3GR/MT

Composition: %70 PA Recycle  
%20 PA  
%10 EA

**TJ0019663**

Width: 45mm

Weight: 29,2GR/MT

Composition: %60 PA Recycle  
%25 PES Recycle  
%15 EA**35 JR 5222-5**

Width: 35mm

Weight: 26,2GR/MT

Composition: %25 PA  
%60 PES Recycle  
%15 EA**TJR0021092**

Width: 12mm

Weight: 6,1GR/MT

Composition: %25 PA  
%60 PES Recycle  
%15 EA**TJ0019665**

Width: 30mm

Weight: 16,2GR/MT

Composition: %60 PA Recycle  
%25 PA  
%15 EA**TJ0020421**

Width: 20mm

Weight: 11,4GR/MT

Composition: %25 PA  
%60 PES Recycle  
%15 EA**TJR0021976**

Width: 25mm

Weight: 14GR/MT

Composition: %37,5 PA  
%55 PES  
%7,5 EA**TJ0018828**

Width: 35mm

Weight: 26,6GR/MT

Composition: %80 PA Recycle  
%20 EA**35 KR 13309**

Width: 35mm

Weight: 33GR/MT

Composition: %83 PA  
%17 EA

**TWR0021095**

Width: 15mm

Weight: 3,7GR/MT

Composition: % 60 PA Recycle  
% 25 PA  
%15 EA**TW0019229**

Width: 12mm

Weight: 2,9GR/MT

Composition: % 100 ASETAT  
YARN**TWR0021093**

Width: 10mm

Weight: 6,11GR/MT

Composition: % 60 PA Recycle  
% 25 PA  
%15 EA**TWR0021091**

Width: 9mm

Weight: 4,5GR/MT

Composition: % 60 PA Recycle  
% 25 PA  
%15 EA**TW0019226**

Width: 12mm

Weight: 2,9GR/MT

Composition: % 100 CUPRO  
YARN**TW0019225**

Width: 10mm

Weight: 2,6GR/MT

Composition: % 100 ASETAT  
YARN**TW0018300**

Width: 35mm

Weight: 20,7GR/MT

Composition: %7,5 PA  
%85 PES  
%7,5 EA**TW0014418**

Width: 20mm

Weight: 4GR/MT

Composition: % 60 PA Recycle  
% 40 PA**TWR0021089**

Width: 15mm

Weight: 9,2GR/MT

Composition: % 60 PA Recycle  
% 25 PA  
%15 EA**TWR0021088**

Width: 13mm

Weight: 6,8GR/MT

Composition: % 60 PA Recycle  
% 25 PA  
%15 EA**TW0019266**

Width: 12mm

Weight: 2,2GR/MT

Composition: % 100 ASETAT  
YARN**TWR21094**

Width: 11mm

Weight: 4GR/MT

Composition: % 60 PA Recycle  
% 25 PA  
%15 EA**TW0018267**

Width: 10mm

Weight: 5GR/MT

Composition: % 60 PA Recycle  
% 25 PA  
%15 EA**TJR0019015**

Width: 18mm

Weight: 10,8GR/MT

Composition: %32,5 PA  
%60 PES Recycle  
%7,5 EA**TK0014560**

Width: 17mm


Weight: 3,8GR/MT

Composition: %60 PA Recycle  
%25 PA  
%15 EA**TKR0006670**

Width: 15mm

Weight: 4,1GR/MT

Composition: %74,9 PES Recycle  
%25,1 EA



TJ0021081

A

Organic Dyestuff

B

Width: 25mm

Weight: 16,1GR/MT

Composition: %7 PA  
%61 COTTON  
%24 PES, %8 EA

TJ0021082

C

TJ0021714

D

Width: 25mm

Weight: 16,1GR/MT

Composition: %68,5 PA  
%23 PES  
%8,5 EA

Width: 35mm

Weight: 21,4GR/MT

Composition: % 60 COTTON  
% 25 PES  
% 15 EA

Organic Dyestuff

E

TJ0021713

F

Width: 25mm

Weight: 14,5GR/MT

Composition: % 60 COTTON  
% 25 PES  
% 15 EA

**TK0014617**

Width: 12mm

Weight: 6,1GR/MT

Composition: %9,8 PA  
%80,7 COTTON  
%9,8 EA**TK0021077**

Width: 30mm

Weight: 8,9GR/MT

Composition: %77,1 ORGANIC  
COTTON  
%22,9 EA**TK0021078**

Width: 40mm

Weight: 10,7GR/MT

Composition: %76,5 ORGANIC  
COTTON  
%23,5 EA**TW0013144**

Width: 12mm

Weight: 7,9GR/MT

Composition: %91 PA  
%9 EA**TW0014445**

Width: 24mm

Weight: 19,5GR/MT

Composition: %90,3 ORGANIC  
COTTON  
% 9,7 EA**TW0014446**

Width: 12mm

Weight: 6,1GR/MT

Composition: %9,8 PA  
%80,7 COTTON  
%9,8 EA**TW0015610**

Width: 32mm

Weight: 28GR/MT

Composition: % 91 ORGANIC  
COTTON  
% 9 EA**TW0020188**

Width: 15mm

Weight: 8,9GR/MT

Composition: %37,6 PA  
%56,2 COTTON  
%6,2 EA



***We provide anytime you need. Our essentials.***

NOS products are our most preferred and standard items available in our stocks all the time. You may have big advantage in prices and delivery dates.



**08 W 13734****18 K 11146****35 W 1474-101****23 W 11826**

Width: 8mm

Width: 18mm

Width: 35mm

Width: 23mm

Weight: 4GR/MT

Weight: 4,13GR/MT

Weight: 23GR/MT

Weight: 12,7GR/MT

Composition: %85 PA  
%15 EAComposition: %62 PA  
%38 EAComposition: %61 PA  
%29 PES  
%10 EAComposition: %87,17 PA  
%12,9 EA**04 K 318****06 K 11602****09 K 1311-Ö****15 W 1531**

Width: 4mm

Width: 5mm

Width: 9mm

Width: 15mm

Weight: 1,19GR/MT


Weight: GR/MT

Weight: 3,06GR/MT

Weight: 2,GR/MT

Composition: %58,62 PA  
%41,38 EAComposition: %77 PA  
%23 EAComposition: %80 PA  
%20 EAComposition: %83 PA  
%17 EA



**30 W 13346****A****04 K 13797****B****12 W 011836****C****30 W 13690****D****07 K 13384****10 W 01980****20 W 13734****30 W 775**

Width: 30mm

Width: 4mm

Width: 12mm

Width: 30mm

Width: 7mm

Width: 10mm

Width: 20mm

Width: 30mm

Weight: 16,9GR/MT

Weight: 1GR/MT

Weight: 1GR/MT

Weight: 18,15GR/MT

Weight: 2,1GR/MT

Weight: 5,46GR/MT

Weight: 9,81GR/MT

Weight: 4GR/MT

Composition: %57,6 PA  
%32,4 PES  
%10 EAComposition: %66,7 PA  
%33,3 EAComposition: %88 PA  
%12 EAComposition: %90,49 PA  
%9,51 EAComposition: %70 PA  
%30 EAComposition: %84,35 PA  
%15,65 EAComposition: %87,8 PA  
%12,2 EAComposition: %92 PA  
%8 EA

**18 W 01837**

Width: 18mm  
Weight: 1,4GR/MT  
Composition: %87 PA  
%13 EA

**07 W 1532**

Width: 7mm  
Weight: 2GR/MT  
Composition: %81 PA  
%19 EA

**08 K 397**

Width: 8mm  
Weight: 2GR/MT  
Composition: %83 PA  
%17 EA

**08 K 13538**

Width: 8mm  
Weight: 3GR/MT  
Composition: %81 PES  
%19 EA

**10 W 011162**

Width: 10mm  
Weight: 8,1GR/MT  
Composition: %93 PA  
%7 EA

**10 W 011836**

Width: 10mm  
Weight: 6GR/MT  
Composition: %89 PA  
%11 EA

**10 W 011837**

Width: 10mm  
Weight: 5,2GR/MT  
Composition: %88 PA  
%12 EA

**10 W 13734**

Width: 10mm  
Weight: 4GR/MT  
Composition: %84 PA  
%16 EA

**09 W 1478**

Width: 9mm  
Weight: 2,79GR/MT  
Composition: %84,85 PA  
%15,15 EA

**09 W 1544**

Width: 9mm  
Weight: 2,55GR/MT  
Composition: %74,23 PA  
%25,77 EA

**09 W 13705**

Width: 9mm  
Weight: 4,66GR/MT  
Composition: %83,7 PA  
%16,3 EA

**10 W 0934**

Width: 10mm  
Weight: 6,6GR/MT  
Composition: %83,3 PA  
%16,7 EA

**11 W 487**

Width: 11mm  
Weight: 5GR/MT  
Composition: %85 PA  
%15 EA

**11 W 25519**

Width: 11mm  
Weight: 5,76GR/MT  
Composition: %82 PA  
%18 EA

**12 K 11603**

Width: 12mm  
Weight: 4GR/MT  
Composition: %81 PA  
%19 EA

**12 W 558**

Width: 12mm  
Weight: 5GR/MT  
Composition: %86 PA  
%14 EA

**12 W 1532**

Width: 12mm

Weight: 4,93GR/MT

Composition: %78,5 PA  
%21,5 EA**12 W 011837**

Width: 12mm

Weight: 10GR/MT

Composition: %87 PA  
%13 EA**12 W 13734**

Width: 12mm

Weight: 5GR/MT

Composition: %83PA  
%17 EA**12 W 13735**

Width: 12mm

Weight: 5GR/MT

Composition: %83 PA  
%17 EA**15 W 626**

Width: 15mm

Weight: 2,73GR/MT

Composition: %82,15PA  
%17,85 EA**15 W 794**

Width: 15mm

Weight: 2,2GR/MT

Composition: %66 PA  
%34 EA**15 W 011820**

Width: 15mm

Weight: 7GR/MT

Composition: %91,46 PA  
%8,54 EA**15 W 011836**

Width: 15mm

Weight: 10,9GR/MT

Composition: %88 PA  
%12 EA**14 K 1635**

Width: 14mm

Weight: 3,6GR/MT

Composition: %80,6 PA  
%19,4 EA**14 K 11145**

Width: 14mm

Weight: 3,8GR/MT

Composition: %74 PA  
%26 EA**14 W 487**

Width: 14mm

Weight: 7,6GR/MT

Composition: %79 PA  
%21 EA**14 W 11826**

Width: 14mm

Weight: 8GR/MT

Composition: %87,5 PA  
%12,5 EA**15 W 011837**

Width: 15mm

Weight: 1,3GR/MT

Composition: %87 PA  
%13 EA**15 W 13705**

Width: 15mm

Weight: 8,3GR/MT

Composition: %82,6 PA  
%17,4 EA**15 W 25519**

Width: 15mm

Weight: 8,07GR/MT

Composition: %85 PA  
%15 EA**15 W 134734**

Width: 15mm

Weight: 7GR/MT

Composition: %83 PA  
%17 EA

**20 W 794**

Width: 20mm  
Weight: 3,5GR/MT  
Composition: %82,2 PA  
%17,8 EA

**17 W 011826**

Width: 17mm  
Weight: 7GR/MT  
Composition: %87,5 PA  
%12,5 EA

**23 W 386**

Width: 23mm  
Weight: 6,34GR/MT  
Composition: %86 PA  
%14 EA

**18 W 011836**

Width: 18mm  
Weight: 1,5GR/MT  
Composition: %87 PA  
%13 EA

**18 W 775**

Width: 18mm  
Weight: 2GR/MT  
Composition: %92 PA  
%8 EA

**20 W 011819**

Width: 20mm  
Weight: 12,5GR/MT  
Composition: %87,5 PA  
%12,5 EA

**20 W 011820**

Width: 20mm  
Weight: 9,4GR/MT  
Composition: %91,30 PA  
%8,70 EA

**20 W 11826**

Width: 20mm  
Weight: 11,75GR/MT  
Composition: %87,4 PA  
%12,6 EA

**20 W 011836**

Width: 20mm  
Weight: 1,4GR/MT  
Composition: %87 PA  
%13 EA

**20 W 011837**

Width: 20mm  
Weight: 15,5GR/MT  
Composition: %92 PA  
%8 EA

**25 W 011820**

Width: 25mm  
Weight: 9,8GR/MT  
Composition: %91,30 PA  
%8,70 EA

**22 W 8000**


Width: 22mm  
Weight: 5,4GR/MT  
Composition: %81,2 PA  
%18,8 EA



### *We care for well-being*

In the medical sector we mainly aim the comfort and well-being of the patients during the treatment processes.

Our medical products are combination of special raw materials being developed by our experienced team using new technologies.








**50 W 13499**

Width: 50mm  
Weight: 40,4GR/MT  
Composition: %90,44 PA  
%9,56 EA



**TJ0021404**

Width: 50mm  
Weight: 33,7GR/MT  
Composition: %88,9 PA  
%11,1 EA



**53 W 13554-S4**

Width: 53mm  
Weight: 35,74GR/MT  
Composition: %90,44 PA  
%9,56 EA



**40 W 13348**

Width: 40mm  
Weight: 19,41GR/MT  
Composition: %54,26 PA  
%30,69 PES  
%15,05 EA



**80 W 303100**

Width: 80mm  
Weight: 44GR/MT  
Composition: %87 PA  
%13 EA



**TJ0021405**

Width: 50mm  
Weight: 33,8GR/MT  
Composition: %88,9 PA  
%11,1 EA





A



C



E

**15 W 626**

Width: 15mm

Weight: 2,73GR/MT

Composition: %84 PA  
%16 EA**15 W 797**

Width: 15mm

Weight: 2,21GR/MT

Composition: %66,92 PA  
%33,08 EA**25 K 789**

Width: 25mm

Weight: 7,25GR/MT

Composition: %88,71 PES  
%11,29 EA**20 K 13339**

Width: 20mm

Weight: 9,9GR/MT

Composition: %37 RUBBER  
%63 PES**25 K 13511-S**

Width: 25mm

Weight: 17,8GR/MT


Composition: %20 PA  
%55 PES  
%25 EA**30 W 13543**

Width: 30mm


Weight: 25,6GR/MT

Composition: %83 PA  
%17 RUBBER

B



D



F

F

**15 W 626**

Width: 15mm

Weight: 2,73GR/MT

Composition: %84 PA  
%16 EA**15 K 635**

Width: 15mm

Weight: 3GR/MT

Composition: %84 PA  
%16 EA**49 K 13350-S**

Width: 49mm

Weight: 23,5GR/MT

Composition: %65 PA  
%35 EA**49 K 13350-S**

Width: 49mm

Weight: 23,5GR/MT

Composition: %65 PA  
%35 EA**50 W 13813**

Width: 50mm

Weight: 26,8GR/MT

Composition: %89,3 PA  
%10,7 EA**53 W 13554**

Width: 53mm

Weight: 35,74GR/MT

Composition: %90,44 PA  
%9,56 EA**TJ0020388**

Width: 50mm

Weight: 33,8GR/MT

Composition: %88,9 PA  
%11,1 EA**TK0013102**

Width: 62mm

Weight: 13,6GR/MT

Composition: %45,54 PA  
%43,12 MONO FLAMENT  
%11,34 EA





### *Why Devsel?*

- *Experienced team of technicians*
- *Strong technical competencies in concept design*
- *Production cycle in Turkey and in Portugal*
- *Technical capabilities for flexible, segmented offers*
- *Stability and expertise*

*Please do not hesitate to contact us for any of your requests and questions. We look forward to your contact and our cooperation.*



DEVSEL DAR DOKUMA LASTIK VE TEKSTIL ÜRÜNLERİ SAN. LTD.

AKÇABURGAZ MAH. 3063 SOK. NO:9 K:1

KIRAÇ, ESENYURT | ISTANBUL | TURKEY

T: +90 212 855 9480

F: +90 212 855 9482

E: [INFO@DEVSEL.COM](mailto:INFO@DEVSEL.COM)

W: [WWW.DEVSEL.COM](http://WWW.DEVSEL.COM)

All rights reserved © Devsel

